



NARDI

IMPLEMENTS
FOR PROFESSIONAL
FARMING



NGD



Nošene Mehaničke Ratarske Prskalice





Mounted Mechanic Farming Sprayers



NARDI

IMPLEMENTS
FOR PROFESSIONAL
FARMING

 Nardi nošene prskalice namenjene su za gazdinstva srednje veličine koja zahtevaju najbolju preciznost, distribuciju, niske troškove proizvodnje i jednostavnost pri rukovanju. Nardi nošena prskalica visoko je opremljen model koji koristi najnoviju tehnologiju koja se prilagođava uslovima i potrebama u modernoj poljoprivrednoj proizvodnji. Nardi prskalice proizvedene su sa velikom pažnjom prema životnoj okolini i korisnicima ovih oruđa i u ove svrhe proizvodi se širok asortiman različitih prskalica kapaciteta rezervoara od 200 do 1200L sa najkvalitetnijim komponentama koji ispunjavaju očekivanja i najzahtevnijih kupaca.

 Nardi mounted sprayers are highly specialized implements intended for agricultural use. They are special designed in order to provide the very best chemical protection in crop production, thanks to a series of technical innovation. Nardi produce the implements with a great care of environment and users of products and in this purpose have large number of different mounted sprayers with tank capacities ranging from 200 to 1200L, with best quality components, which, with their wide range of use, can meet the expectations of even the most demanding users.



Mehaničko otvaranje fiksne grane (8/10/12m)
Mechanical opening fixed booms (8/10/12 metres)



Mehaničko otvaranje samonivelirajuće grane (12/14/15/16m)
Mechanical opening self-leveling booms (12/14/15/16m)

STANDARDNA OPREMA - STANDARD FEATURES



Membranska pumpa
Diaphragm pump



Komandna grupa sa 3 jedinice
(levo, desno, obrnuto)
Proportional distributor with 3 ways
(left, right, reverse)



Filter za samopunjenje
Intake filter predisposed for self-filling



NARDI

IMPLEMENTS
FOR PROFESSIONAL
FARMING



Toplofarbana šasija
Hot painted steel frame



Sitasti filter
Stainer filter



Hidromešač
Hydraulic agitator



Ručno podizanje grana
Manual lifting system of the boom



Rasprskivač sa sistemom protiv kapljanja
Nozzle holder complete with nozzle and anti drop



Rezervoar za pranje ruku
Hand washing tank



Rezervoar za pranje sistema
Circuit washing tank



Ventil za totalno pražnjenje
Total discharge valve

OPCIONA OPREMA - OPTIONAL EQUIPMENT




Tripleks dizne
Trijet nozzles



Ekomikser
Ecomixer



Kompjuter Bravo180
Computer Bravo180



Proporcionalni distributor sa 5
jedinica
Proportional distributor with 5 ways



Motalica za crevo
Hose reel



Bokal za testiranje mlaznice
Nozzle check carafe



Crevo visokog pritiska
High pressure hose



Set za pranje rezervoara
Kit washing tank



Merač pritiska (manometar) Ø100
Pressure gauges (manometro) Ø100



Sistem za samopunjenje
Self filling kit



Pena marker
Foam marker



Cinkana šasija
Galvanized frame




Klipna pumpa YA75
High pressure piston pump YA75



Klipna pumpa YA150
High pressure piston pump YA150



Rasprskivač protiv kapljanja
Anti drift nozzles



Čekrk za podizanje grana
Winch lifting the booms



Cevasti hidromešač
Tube agitator

*Standardno za samonivelirajuće grane
*Standard feature for self-leveling booms



NARDI

IMPLEMENTS
FOR PROFESSIONAL
FARMING

Model Model	Mehaničko otvaranje grana (m) Mechanical boom (m)	Broj rasprsk. N° nozzles	Kapacitet rezervoara (L) Tank capacity (L)			Kg	Širina (mm) W (mm)	Duž. (mm) L (mm)	Vis. (mm) H (mm)	KS HP
			Glavni rezervoar Main tank	Rez. za pranje ruku Hand washing tank	Rezervoar za pranje sistema Circuit tank					
200	8	16	200	12	Ne - No	185	2000	1300	1350	15-20
	10	20				200	2000	1350	1350	
	12	24				215	2000	1350	1350	
300	8	16	300	12	Ne - No	185	2000	1300	1350	15-20
	10	20				200	2000	1350	1350	
	12	24				220	2000	1350	1350	
400	8	16	400	12	35	185	2000	1300	1350	20-30
	10	20				200	2000	1350	1350	
	12	24				215	2500	1350	1680	
600	8	16	600	12	35	185	2000	1300	1350	30-35
	10	20				200	2000	1350	1350	
	12	24				215	2500	1350	1680	
	12sl *	24				215	2500	1350	1680	
	14sl *	28				235	2800	1350	2290	
	15sl *	30				255	2860	1350	2380	
	16sl *	32				300	2900	1350	2400	
800	8	16	800	12	100	200	2000	1300	1350	30-40
	10	20				218	2000	1350	1350	
	12	24				226	2500	1250	1680	
	12sl *	24				226	2500	1250	1680	
	14sl *	28				248	2800	1300	2290	
	15sl *	30				370	2860	1400	2380	
	16sl *	32				375	2900	1350	2400	
1000	12sl *	24	1000	12	100	370	2500	1250	1680	40-50
	14sl *	28				405	2800	1350	2290	
	15sl *	30				425	2860	1400	2380	
	16sl *	32				435	2900	1350	2400	
1200	12sl *	24	1200	12	100	400	2500	1250	1680	50-60
	14sl *	28				430	2800	1350	2290	
	15sl *	30				440	2860	1400	2380	
	16sl *	32				450	2900	1350	2400	

Standardna oprema - Standard features

Toplo farbana šasija sa kačenjem u tri tačke
Hot painted steel frame with forkpins

Polietilenski rezervoar sa ventilom za totalno pražnjenje
Total drainage polyethylene tank with screw lid

Sitasti filter i nivokaz
Strainer filter, external liquid level indicator

Rezervoar za pranje ruku i sistema
Hand and circuit washing tank

Farbane grane
Painted boom

Ukupna širina 2.5m
Overall width 2.5m

Hidromešač
Hydraulic agitator

Filter za samopunjenje
Intake filter predisposed for self-filling

Membranska pumpa
Diaphragm pump, safety valve

Proporcionalni distributor sa 3 jedinice
Proportional distributor with 3 ways

Ručno podizanje grana
Manual lifting system of the boom

Podizanje pomoću čekrka (za samonivelirajuće grane)
Lifting by winch (for self-leveling booms)

Opciona oprema - Optional equipment

Komandna grupa sa 5 ventila umesto 3 - Control unit with 5 valve instead of 3	Tripleks dizne - Trijet nozzles
Prop. komandna grupa sa 5 jed. sa ventilom max pritiska - Prop. distr. with 5 ways with max pr. valve	Crevo visokog pritiska 40bar - High pressure hose 40 bar
Mehanička komandna grupa sa 5 jedinica sa elektronskim uklj./isklj. Mechanical control unit with 5 ways with electronic on/off	Čekrk za podizanje grana (standardno za samonivelirajuće grane) Winch lifting the boom (standard for self-leveling booms)
Distributor sa 5 elektroventila sa elektr. uklj./isklj. - Distributor with 5 ways with electronic on/off	Linijski filteri 5 - Line filters 5
El. kom. grupa sa 5 sekcija sa komp. Bravo 180S - El. control unit 5 sections with computer Bravo 180S	Set za pranje rezervoara - Kit washing tank
Motalica za crevo - Hose reel	Cevasti hidromešač - Hydraulic tube agitator
Rasprskivač protiv kapljanja - Anti-drift nozzle	Merač pritiska (manometar) Ø100 (standard Ø50) - Press. gaug. (manometro) Ø100 (standard Ø50)
Pumpa BP 105 umesto pumpe BP 60 - Pump BP 105 instead of BP 60	Bokal za testiranje mlaznice - Nozzle check carafe
Pumpa BP 125 umesto pumpe BP 60 - Pump BP 125 instead of BP 60	Cinkan ram - Galvanized frame
Pumpa BP 125 umesto pumpe BP 105 - Pump BP 125 instead of BP 105	Ekomikser 30L - Ecomixer 30L
Pumpa BP 151 umesto pumpe BP 125 - Pump BP 151 instead of BP 125	Pena marker - Foam maker
Klipna pumpa YA75 umesto membranske pumpe - Piston pump YA75 instead of diaphragm pump	Sistem za samopunjenje 5m sa korpom Ø30(do 600L) - Self-filling kit 5m with basket Ø30(up to 600L)
Klipna pumpa YA150 umesto membranske pumpe Piston pump YA150 instead of diaphragm pump	Sistem za samopunjenje 5m sa korpom Ø40(do 800L) - Self-filling kit 5m with basket Ø40(up to 800L)
	Kardansko vratilo - PTO Shaft



Šumadijska 6/2
12000 Požarevac
Tel./Fax: +381 12 55 55 48
Mob: +381 69 10 222 53
E-mail: office@nardibalkan.com
www.nardibalkan.com