



NARDI

IMPLEMENTS
FOR PROFESSIONAL
FARMING



RIO





Vučene Ratarske Prskalice
Trailed Farming Sprayers



NARDI

IMPLEMENTS
FOR PROFESSIONAL
FARMING

 Nardi vučene prskalice dizajnirane su da odgovore trenutnim i budućim potrebama moderne poljoprivredne proizvodnje. Model RIO je opremljen najsavremenijom tehničkom opremom čime se prilagođava strogim uslovima i pravilima savremene zaštite useva. Nardi prskalice proizvode se sa velikom pažnjom prema životnoj okolini i korisnicima ovih mašina i u ove svrhe proizvodi se širok asortiman različitih prskalica kapaciteta rezervoara od 2500-5200L sa ugrađenim najkvalitetnijim komponentama koje ispunjavaju očekivanja i najzahtevnijih kupaca .

 Nardi trailed sprayers has been designed to answer the current and future requirements of modern agriculture. Model RIO is equipped with cutting edge technology which adjust to the strict condition and regulations in contemporary agriculture crop protection. Nardi produce the implements with a great care of enviroment and users of product and in this purpose have a large number of different sprayers in this series with tank capacities ranging from 2500-5200l, with best quality components, which with wide range of use can meet the expectations of even most demanding users.



Hidraulično otvaranje grana
Hydraulic opening booms

STANDARDNA OPREMA - STANDARD FEATURES



Membranska pumpa
Diaphragm pump



Proporcionalni distributor sa 5 izlaza
Proportional distributor with 5 ways



Filter za samopunjenje
Intake filter predisposed for self-filling



NARDI

IMPLEMENTS
FOR PROFESSIONAL
FARMING



Sitasti filter
Stainer filter




Hidromešač
Hydraulic agitator



Rasprskivač sa sistemom protiv kapljanja
Nozzle holder complete with nozzle and anti drop



Polietilenski rezervoar sa poklopcem
Polyethylene tank with screw lid




Osovina podesiva po širini
Axle adjustable in width



Točkovi R44
Tyres R44



Fiksna ruda
Fix rod



Rezervoar za pranje ruku i sistema
Hand and circuit washing tank

OPCIONA OPREMA - OPTIONAL EQUIPMENT




Tripleks dizne
Trijet nozzles



Ekomixer
Ecomixer



Kompjuter Bravo180
Computer Bravo180



Elektronska komandna grupa
Electronic control unit



Motalica za crevo
Hose reel



Vazдушna suspenzija
Boom air suspension



Hidraulično podizanje grana
Hydraulic lifting booms



Bokal za testiranje mlaznice
Nozzle check carafe



Set za pranje rezervoara
Kit washing tank




Manometar Ø100
Pressure gauges Ø100



Sistem za samopunjenje
Self filling kit




Pena marker
Foam marker



Cevasti hidromešač
Tube agitator



Osovina podesiva po visini
Axle adjustable in height



Svetlosna homologacija
Road homologation




Okretna ruda
Steering rod



Hidraulična korekcija grana
Hydraulic leveling correction



Točkovi R38-R46
Tyres R38-R46



Linijski filteri
Line filters



NARDI

IMPLEMENTS
FOR PROFESSIONAL
FARMING

Model Model	Hidraulično otvaranje grana (m) Hydraulic boom (m)	Broj rasprskivača N° nozzles	Kapacitet rezervoara (L) - Tank capacity (L)			Točkovi Tyres	Kg	W (mm)	L (mm)	H (mm)	HP
			Glavni rezervoar Main tank	Rezervoar za pranje ruku Hand washing tank	Rezervoar za pranje sistema Circuit tank						
2500	18	36	2500	20	130	270/95 R44	2145	253	576	305	90 - 120
	21	42					2240	253	576	345	
	24	48					2327	253	626	345	
3000	18	36	3000	20	130	270/95 R44	2180	253	576	305	90 - 120
	21	42					2275	253	576	345	
	24	48					2362	253	626	345	
	28	56					2658	253	660	380	
3600	18	36	3600	20	130	270/95 R44	2230	253	576	305	120 - 160
	21	42					2325	253	576	345	
	24	48					2412	253	626	345	
	28	56					2708	253	660	380	
4200	18	36	4200	20	130	300/90 R44	3575	253	665	310	120 - 160
	21	42					3668	253	665	342	
	24	48					3780	253	715	350	
	28	56					4156	253	705	385	
5200	18	36	5200	20	130	320/90 R44	3680	253	665	340	120 - 160
	21	42					3768	253	665	375	
	24	48					3855	253	715	385	
	28	56					4256	253	705	425	

OPCIONA OPREMA - OPTIONAL EQUIPMENT

- Kompjuter Bravo 180 7 H₂O - Computer Bravo 180 7 H₂O
- Kompjuter Bravo 400 5 H₂O - Computer Bravo 400 5 H₂O
- Kompjuter Bravo 400 7 H₂O - Computer Bravo 400 7 H₂O
- Kompjuter Bravo 180 5 H₂O + 4 OIL - Computer Bravo 180 5 H₂O + 4 OIL
- Kompjuter Bravo 180 7 H₂O + 4 OIL - Computer Bravo 180 7 H₂O + 4 OIL
- Hidraulično podizanje grana pomoću paralelograma - Hydr. lifting booms system with parallelogram
- Hidraulična korekcija grana - Hydraulic leveling correction
- Nezavisni hidraulični sistem - Independent hydraulic system
- Dopлата za pumpu 205 umesto pumpe 180 - Pump 205 instead of pump 180
- Dopлата za pumpu 241 umesto pumpe 205 - Pump 241 instead of pump 205
- Dopлата za pumpu 281 umesto pumpe 241 - Pump 281 instead of pump 241
- Dopлата za klipnu pumpu CK220P umesto membranske - Surch. for pist. pump CK220P instead of d. pump
- Centrifugalna pumpa za punjenje rezervoara - Centrifugal pump for loading tank
- Mehanička komandna grupa 5 izlaza sa el. uklj./isklj. - 5 way mechanic control unit with electronic on/off
- Distributor sa 5 elektroventila sa el. uklj./isklj. - Distributor with 5 electric valves with electronic on/off
- Distributor sa 7 elektroventila sa el. uklj./isklj. - Distributor with 7 electric valves with electronic on/off
- Točkovi 300/95 R46 (2500, 3000, 3600L) - Tyres 300/95 R46 (2500, 3000, 3600L)
- Točkovi 340/85 R38 (2500, 3000, 3600L) - Tyres 340/85 R38 (2500, 3000, 3600L)
- Točkovi 380/90 R46 (2500, 3000, 3600L) - Tyres 380/90 R46 (2500, 3000, 3600L)
- Točkovi 420/80 R46 (5200L) - Tyres 420/80 R46 (5200L)
- Točkovi 520/85 R38 (5200L) - Tyres 520/85 R38 (5200L)
- Blatobran 420mm width - Splashboard 420mm width
- Blatobran 610mm width - Splashboard 610mm width
- Set za pranje rezervoara - Kit washing tank
- Set osvetljenja za drumski saobraćaj - Full fenders of lighting system for road traffic
- LED svetla za noćni rad - LED lights for night work
- Spojnica 2" za utovar pod pritiskom - Quick coupler 2" for loading under pressure
- Motalica za crevo + pištolj za prskanje - Hose reel + spray gun
- Motalica za crevo za ručno namotavanje creva - Hose reel for manual loading hose
- Kutija za hemijske proizvode - Boxes for chemical products in a lockable seal
- Ekscentrični rasprskivači na kraju grana - Eccentric jets at boom end
- Tripleks dizne - Trijet nozzle head
- Sistem za samopunjenje 5m sa korpom Ø40 - Self filling kit 5m with basket Ø40
- Sistem za samopunjenje 5m sa korpom Ø50 - Self filling kit 5m with basket Ø50
- Cevasti hidromešač - Hydraulic tube agitator
- Bokal za testiranje mlaznice - Nozzle check carafe
- Ekomikser 30L - Ecological mixer 30L
- Vazдушna suspenzija sa 2 jastuka - Boom air suspension with 2 bolsters
- Vazдушna suspenzija sa 3 jastuka - Boom air suspension with 3 bolsters
- Uljani kočioni sistem (3000, 3600, 4200, 5200L) - Oil brake system (3000, 3600, 4200, 5200L)
- Vazdušni kočioni sistem (3000, 3600, 4200, 5200L) - Air brake system (3000, 3600, 4200, 5200L)
- Okretna ruda - Steering rod
- Linijski filteri 5 - Line filters 5
- Linijski filteri 7 - Line filters 7
- Klocne - Chocks
- Amortizer - Shock absorber
- Pena marker - Foam maker
- Kardansko vratilo - PTO Shaft
- Kardansko vratilo sa homokinetičkim zglobovima - PTO Shaft omniconetic

Standardna oprema - Standard features

Farbani ojačani ram - Oven painted reinforced steel frame

Polietilenski rezervoar sa ventilom za totalno pražnjenje
Total drainage polyethylene tank with screw lid, strainer filter under the lid

Filter za samopunjenje - Intake filter predisposed for self-filling

Proporcionalni distributor sa 5 ventila - Prop. distributor with 5 electro valves

Kompjuter Bravo 180S 5 sekcija H₂O - Computer Bravo 180S 5 section H₂O

Rezervoar za pranje ruku i sistema - Hand and circuit washing tank

Hidraulično otvaranje grana - Hydraulic opening booms

Osovina podesiva po širini - Axle adjustable in width

Hidromešač - Hydraulic agitator

Membranska pumpa - Diaphragm pump, safety valve



Šumadijska 6/2
12000 Požarevac

Tel./Fax: +381 12 55 55 48

Mob: +381 69 10 222 53

E-mail: office@nardibalkan.com

www.nardibalkan.com

NARDI