





# NARDI

IMPLEMENTS  
FOR PROFESSIONAL  
FARMING



# STRATUS

 Vučene Ratarske Prskalice  
 Trailed Farming Sprayers



# NARDI

IMPLEMENTS  
FOR PROFESSIONAL  
FARMING



Nardi vučene prskalice iz serije Stratus namenjene su gazdinstvima srednje veličine koje zahtevaju najbolju preciznost i distribuciju na polju. Nardi prskalica Stratus je visoko opremljen model koji koristi najnoviju tehnologiju koja se prilagođava uslovima i potrebama u modernoj poljoprivrednoj proizvodnji. Nardi prskalice proizvedene su sa velikom pažnjom prema životnoj okolini i korisnicima ovih oruđa i u ove svrhe proizvodi se širok asortiman različitih prskalica kapaciteta rezervoara od 1000 do 2000L sa najkvalitetnijim komponentama koji ispunjavaju očekivanja i najzahtevnijih kupaca.



Nardi trailed sprayers series Stratus are intended to use for medium sized farms who require the best precision and distribution on field. Nardi product Stratus is highly equipped model using latest technology an adapted in modern agricultural production. Nardi produce the implements with a great care of enviroment and users of products and in this purpose have large number of different sprayers in this series with tank capacities ranging from 1000 to 2000L, with best quality components, which, with their wide range of use, can meet the expectations of even the most demanding users.



Hidraulično i mehaničko otvaranje grana  
Hydraulic and mechanic opening booms



STRATUS sa mehaničkim granama  
STRATUS with mechanical booms

## STANDARDNA OPREMA - STANDARD FEATURES



Membranska pumpa  
High pressure diaphragm pump



Filter za samopunjenje  
Intake filter predisposed for self-filling



Proporcionalni distributor sa 5 izlaza  
Proportional distributor with 5 ways  
*\*STRATUS sa mehaničkim granama*  
*\*For STRATUS with mechanical booms*



Točkovi  
Tyres



Fiksna ruda  
Fix rod



# NARDI

IMPLEMENTS  
FOR PROFESSIONAL  
FARMING



Sitasti filter  
Stainer filter



Hidromešač  
Hydraulic agitator



Rasprskiyač sa sistemom protiv kapljanja  
Nozzle holder complete with nozzle and anti drop




Elektronska komandna grupa  
Electronic control unit  
*\*STRATUS sa hidrauličnim granama*  
*\*For STRATUS with hydraulic booms*



Kompjuter Bravo180  
Computer Bravo180

*\*STRATUS sa hidrauličnim granama*  
*\*For STRATUS with hydraulic booms*



Osovina podesiva po širini  
Axle adjustable in width



Hidraulični sistem za podizanje grana  
Hydraulic lifting booms

*\*STRATUS sa hidrauličnim granama (16m,18m)*  
*\*For STRATUS with hydraulic booms (16m,18m)*



Hidraulična korekcija grana  
Hydraulic leveling correction

*\*STRATUS sa hidrauličnim granama (18m)*  
*\*For STRATUS with hydraulic booms (18m)*

## OPCIONA OPREMA - OPTIONAL EQUIPMENT



Elektronska komandna grupa  
Electronic control unit

*\*STRATUS sa mehaničkim granama*  
*\*For STRATUS with mechanical booms*



Kompjuter Bravo180  
Computer Bravo180

*\*STRATUS sa mehaničkim granama*  
*\*For STRATUS with mechanical booms*



Hidraulični sistem za podizanje grana  
Hydraulic lifting booms

*\*STRATUS sa hidrauličnim granama (12m,14m, 15m)*  
*\*For STRATUS with hydraulic booms (16m,18m)*



Motalica za crevo  
Hose reel



Tripleks dizne  
Trijet nozzles



Bokal za testiranje mlaznice  
Nozzle check carafe




Crevo visokog pritiska  
High pressure hose



Merač pritiska Ø100  
Pressure gauges Ø100



Ekomikser  
Ecomixer



Cevasti hidromešač  
Tube agitator



Linijski filteri  
Line filters



Set za pranje rezervoara  
Kit washing tank



Sistem za samopunjenje  
Self filling kit



Pena marker  
Foam marker



Klipna pumpa YA150  
High pressure piston pump YA150



Klipna pumpa CK220  
High pressure piston pump CK220



Kardansko vratilo  
PTO Shaft



# NARDI

IMPLEMENTS  
FOR PROFESSIONAL  
FARMING

Model Model	Glavni rezervoar (L) - Tank capacity (L)			Točkov Tyres	Kg	W Larg.	L Lung.	H Alt.	KS HP
	Glavni rezervoar Main tank	Rezervoar za pranje ruku Hand washing tank	Rezervoar za pranje sistema Circuit tank						
1000	1000	20	98	230/95 R24	1090	250	480	275	60-80
1500	1500	20	130	230/95 R36	1220	250	430	290	80-90
2000	2000	20	145	230/95 R36	1310	250	459	332	80-100

### Standardna oprema - Standard features

Farbani ojačani ram - Oven painted reinforced steel frame
Polietilenski rezervoar sa ventilom za totalno pražnjenje i poklopcem, sitastim filterom ispod poklopca Total drainage polyethylene tank with screw lid, strainer filter under the lid
Filter za samopunjenje - Intake filter predisposed for self-filling
Membranska pumpa - Diaphragm pump
Mehaničko otvaranje grana (za mehaničke grane) - Mechanical opening booms (for mechanical booms)
Hidraulično otvaranje grana (za hidraulične grane) - Hydraulic opening booms (for hydraulic booms)
Stepenik za lakše punjenje rezervoara - Stair for easier filling the tank
Proporc. distributor sa 5 izlaza (za mehaničke grane) - Proportional distributor with 5 ways (for mechanical booms)
Hidraulična korekcija grana 18m grane (za hidr. grane) - Hydraul. corr. of spraying 18m booms (for hydraulic booms)
Osovina podesiva po širini - Axle adjustable in width
Mehaničko podizanje grana - Mechanical lifting the booms
Hidromešač - Hydraulic agitator
Elektronska komandna grupa sa 5 sekcija sa kompjuterom Bravo 180S (za hidraulične grane) Electronic control unit 5 section with Computer Bravo 180S (for hydraulic booms)
Hidraulični sistem za podizanje grana (za 16 i 18m) - Hydraulic lifting booms system (for 16 and 18m)

Model Model	Hidraulično i mehaničko otvaranje grana (m) Hydraulic & mechanic booms (m)	Broj rasprskivača N° nozzles
1000	12	24
	14	28
	15	30
	16	32
1500	18	36
	12	24
	14	28
	15	30
2000	16	32
	18	36
	12	24
	14	28

### Opciona oprema - Optional equipment

Kompjuter Bravo 180 sa 7 sekcija (samo za vodu) - elektronska komandna grupa uključena Computer Bravo 180 with 7 section (only for water) - electronic control included	Motalica za crevo + pištolj za prskanje - Hose reel + spray gun
Computer Bravo sa 5 sekcija (hidraulična kontrola sa 3 izlaza za ulje) Computer Bravo with 5 section control (3 way mechanic hydraulic control for oil)	Osovina podesiva po visini - Adjustable height on axle
Computer Bravo sa 5 sekcija (hidraulična kontrola sa 4 izlaza za ulje) Computer Bravo with 5 section control (4 way mechanic hydraulic control for oil)	Točak 36" (zamena za točak 24" 1000L) - Wheel 36" (replacement for wheel 24" 1000L)
Kompjuter Delta 80 sa 7 sekcija (voda) - Computer Delta 7 section control (water)	Pena marker - Foam maker
Komp. Delta 80 sa 7 sekc. (4 izlaza el. hidr. kontrola) - Comp. Delta 7 s.c.(4 way el. hydr. control)	Cinkani ram - Galvanized frame
5 izlaza meh. hidr. kontr. sa glavnim vent. i el. uklj./isklj. - 5 way mech. con. unit main valve el. on/off	Meh. cinkane grane (12,14,15,16m)(meh. grane) - Mech. galvanized booms(12,14,15,16m)(m. b.)
7 izlaza umesto 5 izlaza mehanička kontrolna jedinica sa glavnim ventilom i elektronskim uklj./isklj. 7 way instead of 5 way mech. con. unit main v. el. on/off (for mechanical booms)	Hidr. cinkane grane (12,14,15,16m)(barra idr.) - Hydr. galvanized booms(12,14,15,16m)(h. b.)
Distributor sa 5 elektroventila sa el. uklj./isklj. - Distributor with 5 electric valves with electronic on/off	Ekomikser 30L - Ecological mixer 30L
Distributor sa 7 elektroventila sa el. uklj./isklj. - Distributor with 7 electric valves with electronic on/off	Linijski filteri 5 - Line filters 5
Pumpa BP 171K umesto BP 151K - Pump BP 171K instead of BP 151K	Linijski filteri 7 - Line filters 7
Pumpa BP 151K umesto BP 125K - Pump BP 151K instead of BP 125K	Crevo od 40 bara - 40 bar hose
Pumpa BP 205K umesto BP 171K - Pump BP 205K instead of BP 171K	Sistem za samopunjenje 5m sa korpom Ø40 - Self filling kit 5m with basket Ø40
Klipna pumpa YA150 umesto membranske pumpe - Piston pump YA150 instead of diaph. pump	Sistem za samopunjenje 5m sa korpom Ø50 - Self filling kit 5m with basket Ø50
Klipna pumpa CK220P umesto membranske pumpe - Piston pump CK220P instead of diaph. pump	Set za pranje rezervoara - Kit washing tank
Hidraulična korekcija grana (hidraulične grane) - Hydraulic leveling correction (hydr. booms)	Cevasti hidromešač - Hydraulic tube agitator
Sistem za hidraulično podizanje grana - Hydraulic lifting booms system	Manometar Ø100 (standard je Ø50) - Pressure gauges (manometro) Ø100 (standard is Ø50)
Svetlosna homologacija - Lights kit and overall panels	Bokal za testiranje mlaznice - Nozzle check carafe
	Okretna ruda - Steering rod
	Tripleks dizne - Trijet nozzles
	Klocne - Chocks
	Kardansko vratilo - PTO Shaft



Šumadijska 6/2  
12000 Požarevac  
Tel./Fax: +381 12 55 55 48  
Mob: +381 69 10 222 53  
E-mail: office@nardibalkan.com  
www.nardibalkan.com

# NARDI